




75W LED Tunnel Light


75W 5~10m Illuminance Distribution Plot




LED TUNNEL LIGHT SPECIFICATION

Model No.	L81-L3.1-1-075-RNIPPX04865-A
Input Voltage	AC 120~277(Vac)
Frequency	50/60(Hz)
LED Qty	48(pcs)
Rated Power	75±10%(W)
Lumens per Watt (Efficacy)	100(lm/W)
E _{max}	(Height= 6m): ≥ 26.64Lx
	(Height= 8m): ≥ 14.99Lx
E _{avg} (20*10M)	(Height= 6m): ≥ 11.00Lx
U _O	(Height= 5.5m): ≥ 0.40
U _L	(Height= 5.5m): ≥ 0.60
Color Temp.(CCT)	4000K±2850K
CRI	Ra>70
Power Factor	>0.95
Operating Ambient Temp.	-40°C ~50°C
Operating Ambient Humidity	10%~90%(RH)
Store Temp.	-40°C ~80°C
Life time(L70)	≥ 50000(HR)
Architecture	Aluminum Base &tempered glass
Dimensions (mm)	366(L)*284.6(W)*207(H)
Weight	7.7±0.2(kg)
Waterproof	IP65

75W Distribution Plot



Outline Dimensions



Remarks

- 1.The tolerance of luminous flux is ±10%.
2. The dimension tolerance is ±5mm.
- 3.Laster Tech Corporation LTD. All rights reserved. Product specifications are subject to change without notice.

